

Quick Setup Guide for SGBRIDGE:

Discovering and Configuring SGBRIDGE for Cloud

Contents

Discovering and Logging into SGBRIDGE	3
Adding sites to SGBRIDGE	5
Configuring Channels for Cloud use	.12
Information for Adding SGBRIDGE to Cloud	.13

Discovering and Logging into SGBRIDGE

• Connect both power and a network connection with internet access to your SGBRIDGE*.

*The SGBRIDGE's network ports are configured to DHCP by default. If a static address is needed, you will need to connect a keyboard, mouse, and monitor to the bridge hardware.

- While the SGBRIDGE is booting, connect your laptop to the same network the SGBRIDGE is on.
- Download, install, and open the Speco Scanner application. This application will search for your SGBRDIGE. Double-click to access web setup.

SecureGuard Site Scanner					- 0	×
Discovered Sites						
	Site	es found (7)			Refree	sh
Name	Model 🔺	IP Address	Port	MAC	Protocol	
SGBRFFBJGIVCTW4	SGB	192.168.56.150	80	88020200027C	SecureGuar	d V
SGBK7XJG9J7KLCV	SGB	192.168.46.72	80	448A5BE24066	SecureGuar	d V
SGB3QL4JSESWLJB0	SGB	192.168.56.94	80	000EC6D73918	SecureGuar	d V
SGB37MWDDH5ROBY8	SGB	192.168.56.129	80	908D6E631A8C	SecureGuar	d V
SGB2RVEGA6F6V7U2	SGB	192.168.46.254	80	484D7ECFBCAF	SecureGuar	d V
SGB233MOJ16EEQX2	SGB	192.168.46.32	80	AC1F6B772CE7	SecureGuar	d V
SGB22JLL7T7GQ13B	SGB	192.168.56.136	80	880302000DE	SecureGuar	d V
						Þ
Double-click a discovered site to	open the site	e's web interface.			Cl	ose

- Your default web browser will open a login screen. The default login credentials are:
 - Username: admin
 - Password: admin

Click 'Submit' to proceed.

SecureGuard X +	-		×
← → C ▲ Not secure 192.168.56.136/login/authRequired	☆	S	:
≡ Login			^
Username			
Password			
SUBMIT			

Adding sites to SGBRIDGE

• After logging in, click the hamburger menu on the upper left corner of the interface.



Click 'Config'.



• Click 'Site Locate'

•	SecureGuard × +					- ×
← →	C A Not secure 192.168.56.136/c	onfig/site			©= \$	s :
≡	Site Config					Î
	MANUAL ADD	SITE LOCATE				
ID	Name	Channels	In Use	Status	Edit	
			No data available			
			ltems per pa	age: 10 👻 0-0 of 0		×

• Find the device(s) you'd like to add to your SGBRIDGE and click the '+' in their row.

SecureGuard	× +								- 0	2	×
← → C ▲ Not se	cure 192.168.56.136/config	/site						ତ୍ସ	☆	s	:
											^
	Name	Model 个	IP Address	Port	MAC	Protocol	Add Site			F	
	Device Name	N32NRN	192.168.56.200	80	5c:f2:07:40:d5:f6	NR/HR	+				
	JT-Office-NRL	N4NRL	192.168.56.120	7002	5c:f2:07:40:69:60	NR/HR	+				
	Trust Bank NRL	N4NRL	192.168.56.174	80	5c:f2:07:40:6e:8f	NR/HR	+				
	Access Control Demo	N4NRL	192.168.56.18	80	5c:f2:07:40:c4:a3	NR/HR	+				
	Somerville-N64NR	N64NR	192.168.56.147	80	5c:f2:07:40:91:eb	NR/HR	+				
	Device Name	N8NRE	192.168.56.11	80	5c:f2:07:40:1f:5b	NR/HR	+				
	Device Name	N8NRE	192.168.56.112	80	5c:f2:07:40:7e:d8	NR/HR	+				
	ZINN8NRE	N8NRE	192.168.56.192	80	5c:f2:07:40:a0:64	NR/HR	+				
	N8NRE YH 1.4.10	N8NRE	192.168.56.24	80	5c:f2:07:40:80:c0	NR/HR	+			•	

SecureGuard × +				-		×
← → C ▲ Not secure 192.168.56.136,	/config/site			© ☆	s	:
		_	_			^
Site Settings	- New Site	_				
✓ Enabled	Site of Intere	st CHEC	CK SITE			
Name JT-Office-NRL	Type Recorder	▼ Model Spece	o Blue Series			L
						L
IP Address 192.168.56.120	HTTP Port 7002	Username admin	Password 🔌		1	
Enabled Channels						l
PTZ Control:						l

• If successful, a blue message will display stating the 'Check Site' was successful and channels have been received. Click the 'x' icon of the blue message.

SecureGuard	× +					-		×
← → C ▲ Not s	ecure 192.168.56.136/config/site					ତ୍ୟ ନ୍	S	÷
	Site Settings - New	Site	CHECK SITE	Check Site Result Check site has been performed successfully.	×		Î	Â
	Name JT-Office-NRL	Type Recorder	•	Model Speco Blue Series				
	IP Address 192.168.56.120	HTTP Port 7002	Usemame admin	Password	Ø			
	Enabled Channels:						Ţ	

• For recorders, select the channels that you want to go to the cloud. Then click 'Submit'

~	SecureG	uard	×	+							-		×
←	\rightarrow G	A Not	secure 192.168.56	.136/config/site						Q	☆	s	:
ſ			Enabled Channels: 1 2 2 3 PTZ Control: 1 2 3 Video Quality:	3 2 4	Record Settings:								
			High Stream Main S	Low Stream Substr	Record Trigger Time:	Pre: 5			Post 30				
l					Audio Settings:	~	Enable Audio From Site		✓ Record Audio From Site				
					USE DEFAULTS		Enable Audio To Site		Record Audio To Site				
L			Configured: Wed D (Eastern Standard	ec 31 1969 18:59:t Time)	59 GMT-0500	Last (East	Connected: Wed Dec 31 1969 18:59 ern Standard Time)	9:59 GMT	20500 SUBMIT CANCEL				

• Click 'Close' in the Site Locate interface.

SecureGuard	× +								-		×
← → C ▲ Not sec	ture 192.168.56.136/config/s	ite						ତଳ ପ୍	☆	s	:
Enoco	= Site Config										^
	Name	Model 个	IP Address	Port	MAC	Protocol	Add Site				
5	Device Name	N32NRN	192.168.56.200	80	5c:f2:07:40:d5:f6	NR/HR	+				
	JT-Office-NRL	N4NRL	192.168.56.120	7002	5c:f2:07:40:69:60	NR/HR	+				
	Trust Bank NRL	N4NRL	192.168.56.174	80	5c:f2:07:40:6e:8f	NR/HR	+				
	Access Control Demo	N4NRL	192.168.56.18	80	5c:f2:07:40:c4:a3	NR/HR	+				
r	Somerville-N64NR	N64NR	192.168.56.147	80	5c:f2:07:40:91:eb	NR/HR	+				
i i	Device Name	N8NRE	192.168.56.11	80	5c:f2:07:40:1f:5b	NR/HR	+				
	Device Name	N8NRE	192.168.56.112	80	5c:f2:07:40:7e:d8	NR/HR	+				
	ZINN8NRE	N8NRE	192.168.56.192	80	5c:f2:07:40:a0:64	NR/HR	+				
	N8NRE YH 1.4.10	N8NRE	192.168.56.24	80	5c:f2:07:40:80:c0	NR/HR	+				
	JVN-N8NRL	N8NRL	192.168.56.181	205	5c:f2:07:57:02:99	NR/HR	+				
				Items pe	er page: 10 👻	21-30 of 79 I≺	< > >>				
						REFRESH	CLOSE				

• You will then need to perform a restart for the device(s) to be added. Click 'System Config'.



Click 'Restart SecureGuard'

SecureGuard	× +		– 🗆 X
← → C ▲ Not sec	192.168.56.136/config/system		ब्ब 🗙 💿 :
	≡ System Config		•
✓ Streams Streams Ste Config Site Config Camera Config User Config	Current Version (Up-To-Date): 2.10.0 2024.6.7.187 Cloud ID (also DDNS domain prefix): SGB22JLL7T7GQ138		
System Config	Cloud Password:		
🕞 Logout	6	۶	
	CHANGE CLOUD PASSWORD		
	Enable DDNS		
	Web Port:		
Secure Guard	80 RESTART SECUREGUARD		

• Click 'Restart'.

SecureGuard	x +			-		×
← → C ▲ Not sec	ure 192.168.56.136/config/system	©च	Q	☆	S	:
speco	≡ System Config					^
recimologies	Current Version (Up-To-Date):					
🛹 Streams	2.10.0 2024.6.7.187					
ණු Config						
Site Config Camera Config User Config	Cloud ID (also DDNS domain prefix): SGB22JIL17T7GQ13B					
System Config Are you sure you want to res RESTART CANCEL	Cloud Passwort: start SecureGuard?					
	Enable DDNS					
	Web Port:					
Secure Guard	80					
	RESTART SECUREGUARD					Ţ

• You will be notified that SecureGuard will be restarted and that you'll need to refresh the web browser page. When you refresh, you'll have to log in again.

SecureGuard	× +			-		×
← → C ▲ Not sec	ure 192.168.56.136/config/system		© (२ 🕁	S	:
	■ System Config					^
📌 Streams	Cloud ID (also DDNS domain prefix):					ł
ags Coning	SGB22JLL7T7GQ13B					
Site Config Camera Config	Cloud Password:					I
User Config		₩.				
System Config	CHANGE CLOUD PASSWORD					I
	Enable DDNS					I
	Web Port:					
	80					I
Secure Guard	Restart SecureGuard SecureGuard restart has been requested. Allow some time for SecureGuard to restart then refresh this page.					•

• Log into the web interface again.

•	SecureGuard	x +		-		×
÷	→ C ▲ Not secure	192.168.56.136/login/expired	©= (QŢ	5	:
≡	Login					^
		Usernama admin Pasavoot 				

• Navigate to the Site Config interface and you'll see your recorder information.

•	SecureGuard	×	+				- 🗆 ×
÷	→ C ▲ Not sect	ure 192.168.56	5.136/config/site				ब्ब 🗴 🧯
	Speco technologies	≡ Site C	onfig				
A	Streams		MANUAL ADD SITE L	DCATE			
鐐	Config	ID	Name	Channels	In Use	Status	Edit
Si	ite Config amera Config	2	JT-Office-NRL	3	2	Active	/ 🗊
U	ser Config					Items per page: 🛛 10 👻	1-1 of 1 I< < > >I
Sj	ystem Config						
₽	Logout						
	Secure Guard						

Configuring Channels for Cloud use

• In the web setup, go to 'Camera Config'. It will take a few seconds for the parameters to come through. Once displayed, ensure that both main and sub stream 'Encoding' settings are H.264. Configure Resolution, Frame Rate, and Bit-Rate accordingly.

•	SecureGuard	× +								-	- [\times
← →	C A Not secu	re 192.168.56.136/config/camera							©च	ର୍	☆	S	:
	speco technologies	≡ Camera Config											^
📌 S	treams	Channel O4FB1M							•				
sậs c	config												
Site Co	onfig	High Stream											
Camer	ra Config	Resolution 1920x1080		Bitrate Type CBR		-	Encoding H264						I
User C	config												
Systen	n Config	Maximum Bitrate	Quality		GOP			Framerate					
₿ u	ogout	2000	Higher		60			20					
		Low Stream											
		Resolution 704x480		Bitrate Type CBR		•	Encoding H264						I
		Maximum Bitrate	Quality		GOP 7			Framerate 7					
	Secure		Tigliei										
	Guard							SUBMIT					I
													•

• Once completed entering parameters, click 'Submit'.

Information for Adding SGBRIDGE to Cloud

- Once you've completed your camera configuration, click 'System Config' and note the **Cloud ID** and **Cloud Password**. You can see the Cloud Password by clicking the eye ball icon.
- You can open another tab for the Cloud Portal setup so that you can copy and paste the Cloud information.
- Please view the **Partner Portal Quick Setup Guide** to learn how to add and setup a SGBRIDGE for a customer.

SecureGuard	× +				- 0		×
← → C ▲ Not sec	re 192.168.56.136/config/system		Съ	Q	☆	S	÷
speco	≡ System Config						
	Current Version (Up-To-Date):						
📌 Streams	2.10.0 2024.6.7.187						
ණී Config							
Site Config		1					
Camera Config	Cloud ID (also DDNS domain prefix):						
U 0f-	SGB22JLL7T7GQ13B						
User Config							
System Config	Cloud Password:						
🕞 Logout		\$					
	CHANGE CLOUD PASSWORD						
	Enable DDNS						
	Web Port:						
Secure	80						
Guard	RESTART SECUREGUARD						