



INSTRUCTION MANUAL

PMA29DW

PIPE MOUNT HARDWARE

speco technologies



1. PRODUCT FEATURES

- Easy to Install
- Indoor Applications
- Pipe Construction
- Light duty ceiling mount


2. INSTALLATION

- 1) Assemble the Dome socket to installed male pipe(NPT 1-1/4") and connect the Dome Adaptor to the socket.
- 2) Assemble the Dome Adaptor and the dome base with the supplied mounting screws(8x).
- 3) Assemble the dome base and top cover with torx screws(4x).


Caution : To prevent water leakage, The Gasket should be located between the Dome Adaptor and the dome base.

3. EXPLODED DIAGRAM

1) Dome Socket-A



2) Dome Socket-B



4. SPECIFICATION


No	MECHANICAL	DESCRIPTION
1	Dimension	See Dimensional Outline
2	Construction	Die Cast and Aluminum
3	Finish	Light-Gray Polyester Power Coat
4	Weight (set+packing)	1.8lb(1.54+0.26)

5. PART'S LIST


No	PART NAME	QTY	DESCRIPTION
1	Dome Adaptor	1	AL
2	Gasket	2	EVA Sheet 3.0t
3	Set Screw	2	M5x5L
4	Guide Dome Adaptor	1	AL
5	Mounting Screw	4	PH M6xL15
6-1	Dome Socket-A	1	AL
6-2	Dome Socket-B	1	AL
7	Mounting Screw	4	BH M6xL9
8	O Ring	4	Black
9	L-Wrench	1	5mm

6. DIMENSION

1) Dome Socket-A



2) Dome Socket-B



Unit : inch